Infections

Before treatment with Remicade

- Tell your doctor if you have an infection, even if it is a very minor one.
- It is very important that you tell your doctor if you have ever had TB, or if you have been in close contact with someone who has had TB. Your doctor will test you to see if you have TB. Ask your doctor to record the type and date of your last screening(s) for TB on the card.
- Tell your doctor if you have hepatitis B or if you know or suspect you are a carrier of the hepatitis B virus.

During treatment with Remicade

 Tell your doctor straight away if you have signs of an infection.
 Signs include a fever, feeling tired, (persistent) cough, shortness of breath, weight loss, night sweats, diarrhoea, wounds, dental problems, burning sensation when urinating, or 'flu-like' symptoms.

Pregnancy, Breast-Feeding and Vaccinations

In case you have received Remicade while you were pregnant or if you are breast-feeding, it is important that you inform your baby's doctor about it before your baby receives any vaccine. Your baby should not receive a 'live vaccine', such as BCG (used to prevent tuberculosis) within 12 months after birth or while you are breast feeding, unless your baby's doctor recommends otherwise.

Keep this card with you for four months after your last dose of Remicade or in case of pregnancy, for at least 12 months after the birth of your baby. Side effects may occur a long time after your last dose.

GB-MAB-00109 Date of preparation: Aug 2022

Remicade® INFLIXIMAB

Patient Reminder Card

atient:		
octor:		
-11		
elephone:		



Merck Sharp & Dohme (UK) Limited Registered in England No. 233687 Registered Office: 120 Moorgate, London, EC2M 6UR

This patient reminder card contains important safety information that you need to be aware of before and during treatment with Remicade.	Current administrations: It is important that you and your doctor record the brand name and batch number of your medicine.	Test: Date: Result:	
Show this card to any doctor involved in your treatment.		List of allergies:	
Please read the Remicade 'Package Leaflet' carefully before you start using this medicine.	When starting a new card, please keep this card as a reference for four months after this date.	Please make sure you also have a lis	
Date of Remicade therapy initiation:	Ask your doctor to record the type and date of last screening(s) for tuberculosis (TB) below:	are using with you at any visit to a healthcare professional. List of other medicines:	
	Test:		
	Date:		
	Result:		